

MODELS: SHALLOW WATER F4 | PRO Hull F4 | VIPER F4 | SHALLOW WATER CONSOLE F4



EXCEL
BOATS



SERIES

F4 SHALLOW WATER

SURFACE DRIVE MOTORS | LOADS OF STORAGE | MULTIPLE FLOOR PLANS

DESIGNED FOR OPTIMAL PERFORMANCE WITH A SURFACE DRIVE MOTOR. A SLICK BOTTOM AND TAPERED CHINE GLIDES OVER SKINNY WATER, MUD, VEGETATION AND LOGS WITH EASE AND PROVIDES UNPARALLELED TURNING CAPABILITIES.



SHALLOW WATER F4 SHOWN IN OPTIFADE® TIMBER




/ STANDARD FEATURES /

- F4 STEP DECK
- .100 GA 5052 ALUMINUM
- 1 - SEAT BASE
- BOW RAILS
- FULL FLOTATION
- TRIPLE TAPER CHINE HULL
- LONGITUDINAL RIBS - 6063 ALLOY
- RECESSED SWITCH PANEL W/ BREAKERS
- NAVIGATION LIGHTS
- SLIDE-IN STORAGE UNDER DRIVER'S SEAT
- CONTROL PANEL INTERIOR LIGHT
- BILGE 800 GPH
- FOLD DOWN STAND UP BAR
- HIGH FRONT DECK WITH STORAGE

SEE MORE OPTIONAL FEATURES ON PAGE 13.


OPTIONAL F86 MODEL W/ F86 DECAL
(.125 5086 HARDENED ALUMINUM)

STANDARD




LAYOUT INCLUDES:
2 - STORAGE BOXES
1 - PORTSIDE ROD/GUN STORAGE BOX
1 - SIDE SHELF W/ CUP HOLDER

DUAL GUNBOX




LAYOUT INCLUDES:
1 - PORTSIDE ROD/GUN STORAGE BOX
1 - STARBOARD ROD/GUN STORAGE BOX
STANDARD REAR DECK

OPEN



LAYOUT INCLUDES:
1 - PORTSIDE ROD/GUN STORAGE BOX

TWIN GUNBOX



LAYOUT INCLUDES:
1 - PORTSIDE ROD/GUN STORAGE BOX
1 - STARBOARD ROD/GUN STORAGE BOX

■ STORAGE ■ BATTERY ■ FUEL TANK OPTION IN ACCESS AREA ■ STORAGE/OPTIONAL LIVELWELL

Models	1651	1751	1754
Length	16'	17'	17'
Bottom	51"	51"	54"
Beam	68"	68"	69"
Per/Lbs.	4/500	4/560	4/560
Transom Height	20"	20"	20"
Gunwale Height	25"	25"	25"
Max HP	50	50	50
Hull Thickness /Temper	.100 / 5052-H32 .125 / 5052-H32 .125 / 5086-H116	.100 / 5052-H32 .125 / 5052-H32 .125 / 5086-H116	.100 / 5052-H32 .125 / 5052-H32 .125 / 5086-H116

	1851	1854	1860	1954
18'	18'	18'	18'	19'
51"	54"	54"	60"	54"
68"	69"	69"	75"	69"
4/560	4/560	4/560	5/618	5/700
20"	20"	20"	20"	20"
25"	25"	25"	25"	25"
60	60	60	60	60
	.100 / 5052-H32 .125 / 5052-H32 .125 / 5086-H116	.100 / 5052-H32 .125 / 5052-H32 .125 / 5086-H116	.100 / 5052-H32 .125 / 5052-H32 .125 / 5086-H116	.100 / 5052-H32 .125 / 5052-H32 .125 / 5086-H116

F4 PRO HULL

SURFACE DRIVE MOTORS | .125 5086 HARDENED ALUMINUM | OPEN FLOOR PLAN

STRONGEST, LIGHTEST AND FASTEST F4 MODEL. AN OPEN FLOOR PLAN DESIGN PROVIDES TONS OF ROOM FOR GEAR AND PASSENGERS. AVAILABLE IN A LOW OR HIGH FRONT DECK.




F4 PRO HULL SHOWN IN OPTIFADE® MARSH

/ STANDARD FEATURES /

- F4 STEP DECK
- .125 GA 5086 (HARDENED ALUMINUM) HULL
- COAST GUARD-SHALLOW WATER FLOTATION
- TRIPLE TAPER CHINE
- FULL FLAT FLOOR
- HARDENED LONGITUDINAL RIBS
- REINFORCED CROSS BRACE
- NAVIGATION LIGHTS
- RECESSED SWITCH PANEL W/ BREAKERS
- CONTROL PANEL INTERIOR LIGHT
- 12 VOLT PLUG
- BILGE 800 GPH
- FOLD DOWN STAND UP BAR
- 1 BATTERY BOX
- HIGH OR LOW FRONT DECK
- BOW RAILS

SEE MORE OPTIONAL FEATURES ON PAGE 13.

PRO HULL




FLOOR PLAN INCLUDES:
REAR DRY BOX SEAT OR OPTIONAL COOLER WITH PADDED SEAT



STORAGE BATTERY FUEL TANK OPTION IN ACCESS AREA



SHOWN WITH OPTIONAL LOW FRONT DECK AND DRY SEAT BOX



Models	1751	1754
Length	17'	17'
Bottom	51"	54"
Beam	68"	69"
Per/Lbs.	4/560	4/560
Transom Height	20"	20"
Gunwale Height	25"	25"
Max HP	50	50
Hull Thickness	.125/ 5086-H116	.125/ 5086-H116

Models	1854	1860
Length	18'	18'
Bottom	54"	60"
Beam	69"	75"
Per/Lbs.	4/560	5/618
Transom Height	20"	20"
Gunwale Height	25"	25"
Max HP	60	60
Hull Thickness	.125/ 5086-H116	.125/ 5086-H116



F4 VIPER

OUTBOARD MOTORS | 6° DEAD-RISE | VIPER™ HULL

THE VIPER HULL TURNS LIKE A TRAIN ON ITS TRACKS. HEAVY-DUTY GUNWALES ARE BUILT TO TAKE A BEATING FROM TIMBER. TANK-LIKE BRACING THROUGHOUT DOESN'T MAKE THIS BOAT A LIGHTWEIGHT, BUT IT WILL OUTLAST OTHER DUCK BOATS. THE STEP DECK TAKES THE LEG-WORK OUT OF GETTING IN AND OUT OF YOUR BOAT.



Experience the smooth operation, handling and legendary trustworthiness of Yamaha and an Excel boat.




/ STANDARD FEATURES /

- F-4 STEP DECK
- .100 GA 5052 ALUMINUM
- BOW RAILS
- FULL FLOTATION
- VIPER HULL WITH REVERSE CHINE
- 17 DEGREE TRANSOM
- LONGITUDINAL RIBS - 6063 ALLOY
- 20" TRANSOMS ONLY
- NAVIGATION LIGHTS
- REAR DECK W/ 2 STORAGE BOXES, BATTERY BOX AND SEAT BASE
- SLIDE-IN STORAGE UNDER DRIVE SEAT
- HIGH FRONT DECK
- STORAGE WITH MESH COVER
- 1-SEAT BASE
- BILGE 800 GPH
- RECESSED SWITCH PANEL WITH BREAKERS
- CONTROL PANEL INTERIOR LIGHT
- 12 VOLT PLUG

SEE MORE OPTIONAL FEATURES ON PAGE 13.


VIPER F4 DUAL GUNBOX



DUAL GUNBOX INCLUDES:
PORTSIDE & STARBOARD ROD/GUN STORAGE
REAR STORAGE BOXES WITH CUP HOLDER



VIPER F4 DUAL GUNBOX



SINGLE GUNBOX INCLUDES:
PORT SIDE ROD/GUN STORAGE
STARBOARD GUNWALE STORAGE TRAYS
REAR STORAGE BOXES WITH CUP HOLDER

STORAGE BATTERY FUEL TANK OPTION IN ACCESS AREA STORAGE/OPTIONAL LIVWELL



Models	1651	1751	1860
Length	16'	17'	18'
Bottom	51"	51"	60"
Beam	72"	72"	80"
Per/Lbs.	4/500	4/560	5/700
Transom Height	20"	20"	20"
Gunwale Height	24"	24"	25"
Max HP	50	60	75
Hull Thickness	.100 or .125/ 5052-h32	.100 or .125/ 5052-h32	.100 or .125/ 5052-h32

OPTIONAL F4 KIK-UP™



Allows outboards to run shallow at slow speeds. Gently lifts up and over stumps and other obstacles.

For Viper F4 boats - Twin gas shocks - Heavy 1/2" 6061 aluminum construction

F4

1854 SHALLOW WATER CONSOLE

SURFACE DRIVE MOTORS | .125 5086 HARDENED ALUMINUM | OPEN FLOOR PLAN

TOUGH AND DURABLE .125 GAUGE, 5086 HARDENED ALUMINUM MAKES THE F4 CENTER CONSOLE ONE MEAN HUNTING AND FISHING MACHINE. A SLIPPERY, SMOOTH BOTTOM AND TRIPLE-TAPER CHINE GLIDES OVER SHALLOWS AND TURNS ON A DIME, ESPECIALLY WHEN OUTFITTED WITH A MUD BUDDY HDR.



F86 MODEL W/ F86 DECAL, IS CONSTRUCTED FROM .125 5086 HARDENED ALUMINUM




1854 F4 SHALLOW WATER CONSOLE SHOWN IN OPTIFADE® MARSH
PC: @THEGRINDWATERFOWL

/ STANDARD FEATURES /

- F4 STEP DECK
- .125 GA 5086 (HARDENED ALUMINUM) HULL
- V BOW
- BOW RAILS
- TRIPLE TAPER CHINE HULL
- NAVIGATION LIGHTS
- DRIVER SEAT HIGH FRONT DECK WITH STORAGE AND MESH COVER
- BILGE 800 GPH
- HEAVY DUTY GRAB RAIL
- 12V PLUG
- ROCKER SWITCHES AND BREAKERS

SEE MORE OPTIONAL FEATURES ON PAGE 13.

F4 CONSOLE



FLOOR PLAN INCLUDES:
ALUMINUM CENTER CONSOLE WITH WIND SHIELD. HIGH FRONT DECK W/ DECK STORAGE.



PC: @THEGRINDWATERFOWL


STORAGE BATTERY FUEL TANK OPTION IN ACCESS AREA REAR DECK



Models	1854
Length	18'
Bottom	54"
Beam	69"
Per/Lbs.	4/560
Transom Height	20"
Side Height	25"
Max HP	70
Hull Thickness/Temper	.125/5086-H116



PC: @THEGRINDWATERFOWL



THE LARGEST SELECTION OF MUD MOTORS TO PROVIDE UNBEATABLE PERFORMANCE WITH THE EXCEL F4

HDR



With electric shift reverse and the newest powerhouse engines. This tough surface-drive is the perfect choice for sportsmen that want high horsepower and reliability.

HORSE POWER 25 - Model 5000
BOAT LENGTH 16' - 20' Boats


SPORT V



This tough outboard style motor is a good choice for sportsmen that want maneuverability, high horsepower, and want the balance and handling of an outboard motor.

HORSE POWER 36 - Model 5000
BOAT LENGTH 16' - 18'


MINI HD



Though it be little, it be mighty! This motor balances power and price like a true king of the backwater. Ideal for smaller duck boats.

HORSE POWER 23 - 25 Hp
BOAT LENGTH 14' - 16'

LONGTAILS



A true classic and still in hot demand. This versatile motor is sure to get you into places no one else can go.

HORSE POWER 7 - 40 Hp
BOAT LENGTH 10' - 20'

/ SHALLOW WATER F4 FLOTATION /


MARINE GRADE HIGH-DENSITY CLOSED CELL FOAM ENSURES COAST GUARD RATED FULL FLOTATION. AN OPEN CENTER CHANNEL ELIMINATES WATER RETENTION.

SHALLOW WATER F4



F4 MEETS COAST GUARD STANDARD FOR "UPRIGHT FLOTATION"

PRO HULL F4



PRO HULL MEETS COAST GUARD STANDARD FOR "SHALLOW WATER FLOTATION"

FOAM - ORANGE | WATER RELIEF CHANNEL - BLUE

/ CAMO OPTIONS /



EXCLUSIVE GORE™ OPTIFADE™




OPTIFADE™ Marsh

GORE™ OPTIFADE™ Waterfowl Marsh pattern is high in contrast to be consistent with the environment and includes elements that are light in color and elements that are darker in color.




OPTIFADE™ Timber

OD GREEN (standard)



KHAKI (standard)




MAX-4

Realtree MAX-4® wetlands camo is one of the most successful duck hunting camo patterns ever designed.




Nat. Gear Brown

Natural Gear is centered around science, research and results with a primary purpose in mind, to make you more successful on your hunt.



Nat. Gear Green



OPTIFADE™ Marsh


/ CUSTOMIZE YOUR BOAT /

Popular options to make your boat the ultimate hunting and fishing rig. See your dealer for a full list of available options.

LED Spotlight
*12,850 Lumens



Superliner



Trolling Motor Mount



Minnkota™ Trolling Motor



Control Panel
Interior LED Lighting
*Available in white, red, blue or green



Tempress Seat



Built-in 3000 lb. Winch



Built-in 11 Gal. Fuel Tank



Drink & Shell Holder



26qt Orca Cooler w/Seat Pad



/ FULL LINE OF ACCESSORIES & APPAREL /

Visit our online store for apparel and a full lineup of Scotty and RAM accessories, attachable to the Excel Boat's T Rail




Excel T Bolt and E Track System

Mount your favorite accessories without putting holes in your boat.



Scotty T Bolt Bracket



T Bolt & Knob



E Track & Insert



RAM T Bolt Bracket





King of Backwater Motors™

Experience the power,
handling and legendary
reliability of a Mud Buddy
and an Excel F4



/ CONTACT /

Mountain View, Arkansas
801.352.1458
www.excelboats.com

Look For More Great Models

/ Storm Cat Series /



/ Utility Stalker Series /



/ Bay Pro Series /

